

Scan results for wsdistricts.co/wildwood-ridge-metropolitan-district

Accessible

Congratulations! Our scan indicates that your webpage is accessible. We're thrilled you chose to be inclusive and comply with legislation.

Sat May 30, 2026

#	Element	Relevant	Successes	Failures	Score
1	The alt attribute is used to provide a text alternative for images. It is not meant to be used on elements other than images and therefore will not be read using screen-readers.	Yes	3	0	100

Code snapshots of successful elements

```
1 
```

#	Element	Relevant	Successes	Failures	Score
2	An iframe needs a label that describes its purpose to screen reader users.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
3	In most cases, using role=menu on navigation elements within a web page can negatively impact screen reader users, especially those using JAWS. The attribute should be used for menu types that function like those found in desktop applications.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
4	In most cases, using role=menubar on navigation elements within a web page can negatively impact screen reader users, especially those using JAWS. The attribute should be used for menu types that function like those found in desktop applications.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
5	In most cases, using ARIA menu roles within a web page can negatively impact screen reader users, especially those using JAWS. <code>role="menuitem"</code> should be used for menu items in menu types that function like those found in desktop applications.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
6	Make sure that no element has an <code>autofocus</code> attribute.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
7	Using <code>role="application"</code> is generally discouraged because it disables standard screen reader modes and forces users into an application mode. This removes familiar navigation shortcuts, such as heading or landmark navigation, and requires them to interact in ways they may not expect.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
8	If content remains visible on the screen but assigned aria-hidden="true", it will be excluded from the accessibility tree. As a result, screen reader users will not have access to the same information as sighted users.	Yes	191	0	100

Code snapshots of successful elements

```
1 <div id="simple-banner" class="simple-banner"><div class="simple-banner-text"><span>Please note that WSDM has been rebranded as Wisdom Management. Our new mailing address is PO Box 25309 CS/CO 80936.</span></div><button aria-label="Close" id="simple-...
```

```
2 <div class="simple-banner-text"><span>Please note that WSDM has been rebranded as Wisdom Management. Our new mailing address is PO Box 25309 CS/CO 80936.</span></div>
```

```
3 <span>Please note that WSDM has been rebranded as Wisdom Management. Our new mailing address is PO Box 25309 CS/CO 80936.</span>
```

```
4 <button aria-label="Close" id="simple-banner-close-button" class="simple-banner-button">⌵</button>
```

```
5 <div class="a11y-responsive a11y-toolbar ltr default standard-location"><ul class="a11y-toolbar-list"><li class="a11y-toolbar-list-item"><button type="button" class="a11y-toggle a11y-toggle-contrast toggle-contrast" data-id="is_normal_contrast" aria-...
```

```
6 <ul class="a11y-toolbar-list"><li class="a11y-toolbar-list-item"><button type="button" class="a11y-toggle a11y-toggle-contrast toggle-contrast" data-id="is_normal_contrast" aria-pressed="false"><span class="offscreen">Toggle High Contrast</span><span...
```

```
7 <li class="a11y-toolbar-list-item"><button type="button" class="a11y-toggle a11y-toggle-contrast toggle-contrast" data-id="is_normal_contrast" aria-pressed="false"><span class="offscreen">Toggle High Contrast</span><span class="aticon aticon-adjust" ...
```

8 `<button type="button" class="a11y-toggle a11y-toggle-contrast toggle-contrast" data-id="is_normal_contrast" aria-pressed="false">Toggle High Contrast</button>`

9 `<li class="a11y-toolbar-list-item"><button type="button" class="a11y-toggle a11y-toggle-fontsize toggle-fontsize" data-id="is_normal_fontsize" aria-pressed="false">Toggle Font size<span class="aticon aticon-font" aria-h...`

10 `<button type="button" class="a11y-toggle a11y-toggle-fontsize toggle-fontsize" data-id="is_normal_fontsize" aria-pressed="false">Toggle Font size</button>`

#	Element	Relevant	Successes	Failures	Score
9	When elements are visually hidden but still exposed to assistive technology, screen reader users may encounter content that should not be available in the current interface. This can obscure the current state of the page and lead to confusion about what information or controls are available.	Yes	7	1	88

Code snapshots of successful elements

```
1 <button aria-haspopup="dialog" aria-label="Open menu" class="wp-block-navigation__responsive-container-open" data-wp-on--click="actions.openMenuOnClick" data-wp-on--keydown="actions.handleMenuKeydown"><svg width="24" height="24" xmlns="http://www.w3....
```

```
2 <svg width="24" height="24" xmlns="http://www.w3.org/2000/svg" viewBox="0 0 24 24" aria-hidden="true" focusable="false"><path d="M4 7.5h16v1.5H4z"></path><path d="M4 15h16v1.5H4z"></path></svg>
```

```
3 <button aria-label="Close menu" class="wp-block-navigation__responsive-container-close" data-wp-on--click="actions.closeMenuOnClick"><svg xmlns="http://www.w3.org/2000/svg" viewBox="0 0 24 24" width="24" height="24" aria-hidden="true" focusable="fals...
```

```
4 <svg xmlns="http://www.w3.org/2000/svg" viewBox="0 0 24 24" width="24" height="24" aria-hidden="true" focusable="false"><path d="m13.06 12 6.47-6.47-1.06-1.06L12 10.94 5.53 4.47 4.47 5.53 10.94 12l-6.47 6.47 1.06 1.06L12 13.06l 6.47 6.47 1.06-1.06L13....
```

```
5 <div class="simple-banner simple-banner-text" style="display:none !important"></div>
```

```
6 
```

```
7 <iframe role="presentation" srcdoc="&lt;html lang=&quot;en&quot;&gt;&lt;/html&gt;" style="visibility: hidden; pointer-events: none; position: fixed;"></iframe>
```

Code snapshots of failed elements

```
1 <body></body>
```

#	Element	Relevant	Successes	Failures	Score
10	Buttons that do not contain visible text should be assigned labels that inform screen reader users of their purpose.	Yes	3	0	100

Code snapshots of successful elements

```
1 <button aria-label="Close" id="simple-banner-close-button" class="simple-banner-button">⌵ </button>
```

```
2 <button type="button" class="a11y-toggle a11y-toggle-contrast toggle-contrast" data-id="is_normal_contrast" aria-pressed="false"><span class="offscreen">Toggle High Contrast</span><span class="aticon aticon-adjust" aria-hidden="true"></span></button>
```

```
3 <button type="button" class="a11y-toggle a11y-toggle-fontsize toggle-fontsize" data-id="is_normal_fontsize" aria-pressed="false"><span class="offscreen">Toggle Font size</span><span class="aticon aticon-font" aria-hidden="true"></span></button>
```

#	Element	Relevant	Successes	Failures	Score
11	If interactive elements cannot be identified as buttons, screen reader users may not realize the element is actionable, which can stop them from submitting forms, opening dialogs, or performing other intended actions.	Yes	3	0	100

Code snapshots of successful elements

1 `<button aria-label="Close" id="simple-banner-close-button" class="simple-banner-button">⌵ </button>`

2 `<button type="button" class="a11y-toggle a11y-toggle-contrast toggle-contrast" data-id="is_normal_contrast" aria-pressed="false">Toggle High Contrast</button>`

3 `<button type="button" class="a11y-toggle a11y-toggle-fontsize toggle-fontsize" data-id="is_normal_fontsize" aria-pressed="false">Toggle Font size</button>`

#	Element	Relevant	Successes	Failures	Score
12	A sticky footer remains anchored to the bottom of the screen while the rest of the page content can be scrolled. If it is not offset from interactive elements, it can overlap and obscure the item in focus.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
13	A sticky header remains anchored to the top of the screen while the rest of the page content can be scrolled. If it is not offset from interactive elements, it can overlap and obscure the item in focus.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
14	Ambiguous links like "Learn More", "Shop Now" and "Start Here" are often used as a call to action. However, screen-reader users, while using link navigation, do not interact with content above or below the link and therefore don't have the same context as to what they will learn more about.	Yes	Pass	-	100

Code snapshots of successful elements

```
1 <a class="skip-link screen-reader-text" id="wp-skip-link" href="#wp--skip-link--target">Skip to content</a>
```

#	Element	Relevant	Successes	Failures	Score
15	Activating anchor links enables users to navigate to a different section within the same page by scrolling and moving keyboard focus. Anchor links that do not contain visible text or labeled images should be assigned labels that inform screen reader users of their destination.	Yes	Pass	-	100

Code snapshots of successful elements

```
1 <a class="skip-link screen-reader-text" id="wp-skip-link" href="#wp--skip-link--target">Skip to content</a>
```

#	Element	Relevant	Successes	Failures	Score
16	Visual cues are often used by sighted users to indicate which link represents the current page within a set of links. This information should be made available to screen reader users by assigning aria-current='page' to the link.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
17	Screen reader users may find it difficult to distinguish between links when the purpose of each link cannot be determined from its text alone or together with its immediate context.	Yes	37	0	100

Code snapshots of successful elements

```
1 <a href="https://wsdistricts.co/" class="custom-logo-link" rel="home"><span class="wp-block-navigation-item__label">Home</span></a>
```

```
3 <a class="wp-block-navigation-item__content" href="https://wsdistricts.co/about-wsdm/" title=""><span class="wp-block-navigation-item__label">About</span></a>
```

```
4 <a class="wp-block-navigation-item__content" href="https://wsdistricts.co/accessibility/" title=""><span class="wp-block-navigation-item__label">Accessibility</span></a>
```

```
5 <a class="wp-block-navigation-item__content" href="https://wsdistricts.co/contact-us/" title=""><span class="wp-block-navigation-item__label">Contact</span></a>
```

```
6 <a class="wp-block-navigation-item__content" href="https://wsdistricts.co/services/" title=""><span class="wp-block-navigation-item__label">Services</span></a>
```

```
7 <a class="wp-block-navigation-item__content" href="https://wsdistricts.co/client-websites/" title=""><span class="wp-block-navigation-item__label">District Websites</span></a>
```

```
8 <a class="wp-block-navigation-item__content" href="https://wsdistricts.co/elections-info/" title=""><span class="wp-block-navigation-item__label">FAQ</span></a>
```

9 `https://video.c
loudoffice.avaya.com/join/893059019`

10 `<a class="wp-block-button__link has-text-align-center wp-element-button" hr
ef="https://wsdistricts.co/wp-content/uploads/2026/01/Wildwood-Ridge-MD-202
6-Metro-Districts-Informational-Presentation.pdf">Informational Meeting Pre
sentation (PDF)`

#	Element	Relevant	Successes	Failures	Score
18	Activating navigation links enables users to navigate to a different page within the site. Links that do not contain visible text or labeled images should be assigned labels that inform screen reader users of their destination.	Yes	37	0	100

Code snapshots of successful elements

```
1 <a href="https://wsdistricts.co/" class="custom-logo-link" rel="home"><span class="wp-block-navigation-item__label">Home</span></a>
```

```
3 <a class="wp-block-navigation-item__content" href="https://wsdistricts.co/about-wsdm/" title=""><span class="wp-block-navigation-item__label">About</span></a>
```

```
4 <a class="wp-block-navigation-item__content" href="https://wsdistricts.co/accessibility/" title=""><span class="wp-block-navigation-item__label">Accessibility</span></a>
```

```
5 <a class="wp-block-navigation-item__content" href="https://wsdistricts.co/contact-us/" title=""><span class="wp-block-navigation-item__label">Contact</span></a>
```

```
6 <a class="wp-block-navigation-item__content" href="https://wsdistricts.co/services/" title=""><span class="wp-block-navigation-item__label">Services</span></a>
```

```
7 <a class="wp-block-navigation-item__content" href="https://wsdistricts.co/client-websites/" title=""><span class="wp-block-navigation-item__label">District Websites</span></a>
```

```
8 <a class="wp-block-navigation-item__content" href="https://wsdistricts.co/elections-info/" title=""><span class="wp-block-navigation-item__label">FAQ</span></a>
```

```
9 <a href="https://video.cloudoffice.avaya.com/join/893059019">https://video.c
loudoffice.avaya.com/join/893059019</a>
```

```
10 <a class="wp-block-button__link has-text-align-center wp-element-button" hr
ef="https://wsdistricts.co/wp-content/uploads/2026/01/Wildwood-Ridge-MD-202
6-Metro-Districts-Informational-Presentation.pdf">Informational Meeting Pre
sentation (PDF)</a>
```

#	Element	Relevant	Successes	Failures	Score
19	Interactive elements that trigger additional content should only have relationship and state ARIA attributes, such as aria-expanded and aria-controls, if they have interactive roles, such as button, tab, combobox and in rarer cases, link.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
20	Aria labels should describe elements that don't have proper text, like icons and field labels. It should not be used to override element texts. Screen reader users need to receive the exact text as visually on the screen, with more context if it is ambiguous. An exception applies to landmarks such as nav or other landmarks: here, ARIA labels can provide additional context or clarification.	Yes	-	Fail	0

Code snapshots of failed elements

```
1 <button aria-label="Close" id="simple-banner-close-button" class="simple-ban
ner-button"> </button>
```

#	Element	Relevant	Successes	Failures	Score
21	Screen readers rely on properly coded and associated labels to announce the purpose of a form field. A checkbox control without an identifiable label may prevent screen reader users from completing the form.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
22	Interacting with form controls shouldn't automatically submit a form or cause any other change in context without notifying the user in advance. Form controls that cause a context change on input can disorient a user, since the behavior is not expected.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
23	Adding type="submit" to a control that submits a form ensures that screen readers users expect a change of context when they activate the control.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
24	A slider should be operable with a single pointer	No	0	0	

#	Element	Relevant	Successes	Failures	Score
25	Screen readers rely on properly coded and associated labels to announce the purpose of a form field. A radio control without an identifiable label may prevent screen reader users from completing the form.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
26	If a field is marked as required only through visual cues, but lacks the required attribute or <code>aria-required="true"</code> , screen readers will not announce it as mandatory. As a result, users may experience unnecessary delays or confusion when trying to submit the form.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
27	Using an <code><article></code> tag on content that is not self-contained and that cannot stand on its own outside the context of the page, such as a blog post, news story, or forum entry, causes screen readers to announce misleading information about the purpose the content in relation to the main subject of the page.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
28	Main navigation elements should have role navigation to ensure that screen readers can identify them as navigation regions.	Yes	-	Fail	0

Code snapshots of failed elements

```
1 <div class="wp-block-navigation__responsive-container-content" data-wp-watch="callbacks.focusFirstElement" id="modal-1-content"> <ul class="wp-block-navigation__container is-responsive items-justified-center wp-block-navigation"><li class=" wp-block-...
```

#	Element	Relevant	Successes	Failures	Score
29	A navigation landmark should identify a section that contains primary links for moving through the site or page. Using navigation landmarks for minor or secondary link groups makes it harder for screen reader users to locate the page's key navigation areas.	Yes	1	1	50

Code snapshots of successful elements

```
1 <nav class="has-medium-font-size items-justified-center wp-block-navigation is-content-justification-center is-layout-flex wp-container-core-navigation-is-layout-a89b3969 wp-block-navigation-is-layout-flex" aria-label="Footer Navigation Menu 2"><ul c...
```

Code snapshots of failed elements

```
1 <nav class="is-responsive items-justified-center wp-block-navigation is-content-justification-center is-layout-flex wp-container-core-navigation-is-layout-64ede673 wp-block-navigation-is-layout-flex" aria-label="Footer Navigation Menu" data-wp-intera...
```

#	Element	Relevant	Successes	Failures	Score
30	The main landmark represents the primary content of a page. It should include only content unique to that page and must remain separate from repeated elements, such as navigation, header, or footer.	Yes	-	Fail	0

Code snapshots of failed elements

```
1 <div class="wp-site-blocks"><header class="wp-block-template-part"> <div class="wp-block-group alignfull has-global-padding is-layout-constrained wp-container-core-group-is-layout-eb524166 wp-block-group-is-layout-constrained" style="padding-top:var(...
```

#	Element	Relevant	Successes	Failures	Score
31	Incorrectly tagging the main landmark may cause screen reader users to misunderstand where the primary content begins or ends, leading to confusion and inefficient navigation.	Yes	-	Fail	0

Code snapshots of failed elements

```
1 <main class="wp-block-group is-layout-flow wp-block-group-is-layout-flow" id="wp--skip-link--target"> <div class="wp-block-group has-background has-global-padding is-layout-constrained wp-block-group-is-layout-constrained" style="background:linear-gr...
```

#	Element	Relevant	Successes	Failures	Score
32	A page typically presents one central subject, so a single main landmark establishes the boundaries of the primary content for screen reader users. Multiple main landmarks create uncertainty about the scope, leading to confusion and difficulty navigating the page.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
33	Screen reader users rely on landmarks to quickly access important regions of a page. Defining a form as a search landmark ensures that users can quickly recognize and navigate to the search form.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
34	Functional images presented using CSS background or background-image properties should be marked up using role="img" so that they can be identified as images by screen reader users.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
35	Smaller graphics used as decorative or complementary elements, such as icons, and that do not provide additional information will often add unnecessary clutter to a screen reader user's browsing experience.	No	0	0	

#	Element	Relevant	Successes	Failures	Score
36	Images require a text alternative when the image conveys meaningful content or serves a functional purpose. If the image is decorative, it must be hidden from assistive technology.	Yes	2	0	100

Code snapshots of successful elements

```
1 Thursday, January 8, at 5:30 p.m</strong>`

2 `<strong>Progress Reports</strong>`

3 `<strong>SUBMIT AN ACCESSIBILITY REPORT ONLINE BY CLICKING HERE</strong>`

4 `<strong>2026 Board Meeting Schedule</strong>`

5 `<strong>WWRMD WILL HAVE ONE REGULAR MEETING ON November 26, 2026, at 5:30 P M.</strong>`

| #  | Element                                                                                                                                                                                                                                                                | Relevant | Successes | Failures | Score |
|----|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 44 | Specifying a default page language ensures screen readers apply the correct pronunciation rules, voices, and braille output. Without it, screen readers may guess the language incorrectly, causing mispronunciations, confusion, and reduced comprehension for users. | Yes      | Pass      | -        | 100   |

#### Code snapshots of successful elements

```
1 <html lang="en-US"><head><meta http-equiv="origin-trial" content="A7vZI3v+Gz
7JfuRo1KNM4Aff6zaGuT7X0mf3wtoZTnKv6497cVMnhy03KDqX7kBz/q/iidW7srW31oQbBt4Vhg
oAAACUeyJvcmlnaW4iOiJodHRwczovL3d3dy5nb29nbGUuY29tOjQ0MyIsImZlYXR1cmUiOiJlEaX
NhYmxlVGhpcmRQYXJ0eVN0...>
```

| #  | Element                                                                                                                                                                                                                                                                                                               | Relevant | Successes | Failures | Score |
|----|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 45 | The meta viewport should allow scalability, typically with width=device-width, initial-scale=1, so text can be resized up to 200% without loss of functionality. Using user-scalable=no or maximum-scale=1 prevents users from enlarging content, making it difficult for people with low vision to read or interact. | Yes      | Pass      | -        | 100   |

#### Code snapshots of successful elements

```
1 <meta name="viewport" content="width=device-width, initial-scale=1">
```

| #  | Element                                                                                                                                                                                                 | Relevant | Successes | Failures | Score |
|----|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 46 | A <meta> element with http-equiv="refresh" is sometimes used to automatically redirect users after a time delay. These timed changes can interrupt and disorient users who rely on assistive technology | No       | 0         | 0        |       |

| #  | Element                                                                                                                                                             | Relevant | Successes | Failures | Score |
|----|---------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 47 | A missing page title makes it difficult for screen reader users and sighted users with multiple tabs open to identify the page, reducing orientation and usability. | Yes      | Pass      | -        | 100   |

#### Code snapshots of successful elements

```
1 <title>Wildwood Ridge Metropolitan District</title>
```

| #  | Element                                                                                                                                                                                                      | Relevant | Successes | Failures | Score |
|----|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 48 | Screen readers rely heavily on page titles to announce the purpose of a page. If titles aren't descriptive, users with low or no vision may not understand the context until they start navigating the page. | Yes      | Pass      | -        | 100   |

#### Code snapshots of successful elements

```
1 <title>Wildwood Ridge Metropolitan District</title>
```

| #  | Element                                                                                                                                                                                           | Relevant | Successes | Failures | Score |
|----|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 49 | An empty list will still be announced by screen readers, which may confuse users, leaving them unsure if the list is empty or an issue prevents the screen reader from announcing the list items. | Yes      | 3         | 0        | 100   |

### Code snapshots of successful elements

1 `<ul class="a11y-toolbar-list"><li class="a11y-toolbar-list-item"><button type="button" class="a11y-toggle a11y-toggle-contrast toggle-contrast" data-id="is_normal_contrast" aria-pressed="false"><span class="offscreen">Toggle High Contrast</span><span...`

2 `<ul class="wp-block-navigation__container is-responsive items-justified-center wp-block-navigation"><li class=" wp-block-navigation-item menu-item menu-item-type-custom menu-item-object-custom menu-item-home wp-block-navigation-link"><a class="wp-blo...`

3 `<ul class="wp-block-navigation__container has-medium-font-size items-justified-center wp-block-navigation has-medium-font-size"><li class="has-medium-font-size wp-block-navigation-item menu-item menu-item-type-custom menu-item-object-custom menu-item...`

| #  | Element                                                                                                                                                                                                                                                                              | Relevant | Successes | Failures | Score |
|----|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 50 | A tablist without role="tablist" is not announced as a group of related tabs, which prevents screen reader users from recognizing the structure and purpose of the component. This makes it harder to navigate between tabs and understand that the controls belong to a single set. | No       | 0         | 0        |       |

| #  | Element                                                                                                                            | Relevant | Successes | Failures | Score |
|----|------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 51 | Applying role="tablist" to an element without tabs misleads screen reader users by suggesting a group of tabs that does not exist. | No       | 0         | 0        |       |

| #  | Element                                                                                                                                                                                                                                                                                                                 | Relevant | Successes | Failures | Score |
|----|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 52 | Custom tabs must be explicitly defined for screen readers since there are no native HTML tab elements. Without assigning role="tab" to the interactive elements, assistive technology will not identify them as tabs, preventing users from understanding their function or navigating them as part of a tab interface. | No       | 0         | 0        |       |

| #  | Element                                                                                                                                                                 | Relevant | Successes | Failures | Score |
|----|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 53 | Applying role="tab" to an element that is not part of a functioning tab interface misleads screen reader users by presenting it as a tab without a corresponding panel. | No       | 0         | 0        |       |

| #  | Element                                                                                                                                                                                                                                                                    | Relevant | Successes | Failures | Score |
|----|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 54 | The role="tabpanel" identifies an element as the content region of a tab interface. Without this role, panels are exposed only by their native role (such as a generic div or a named section) and screen reader users may not perceive them as part of the tab structure. | No       | 0         | 0        |       |

| #  | Element                                                                                                                                                                 | Relevant | Successes | Failures | Score |
|----|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 55 | Applying role="tabpanel" to an element without a corresponding tab misleads screen reader users by announcing it as tab content, even though no controlling tab exists. | No       | 0         | 0        |       |

| #  | Element                                                                                                                                     | Relevant | Successes | Failures | Score |
|----|---------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 56 | If a column header is not marked up with the correct role or scope, screen reader users cannot determine which header applies to each cell. | Yes      | 5         | 0        | 100   |

#### Code snapshots of successful elements

```
1 <th>Name</th>
```

```
2 <th>Position</th>
```

```
3 <th>Term</th>
```

```
4 <th>Email</th>
```

```
5 <th>Developer/Resident</th>
```

| #  | Element                                                                                                                                                                                         | Relevant | Successes | Failures | Score |
|----|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 57 | If a table header cell is empty, screen reader users may only hear a generic label such as "column 3" or nothing at all. This makes it harder to understand what each column or row represents. | Yes      | 8         | 0        | 100   |

### Code snapshots of successful elements

```
1 <th>Name</th>
```

```
2 <th>Position</th>
```

```
3 <th>Term</th>
```

```
4 <th>Email</th>
```

```
5 <th>Developer/Resident</th>
```

```
6 <th>Board Meeting Agendas & Minutes</th>
```

```
7 <th>Financials</th>
```

```
8 <th>District Resources</th>
```

| #  | Element                                                                                                                                                                                                                                     | Relevant | Successes | Failures | Score |
|----|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 58 | When a layout table is marked up with HTML elements like <table> or <tr>, or assigned table ARIA roles, screen readers announce a data table structure with rows, columns, and headers, even though the table is only used for page layout. | Yes      | 1         | 3        | 25    |

#### Code snapshots of successful elements

```
1 <table><thead><tr><th>Name</th><th>Position</th><th>Term</th><th>Email</th><th>Developer/Resident</th></tr></thead><tbody><tr><td>Ronald Covington</td><td>President</td><td>May 2027</td><td>admin@wsdistricts.co</...>
```

#### Code snapshots of failed elements

```
1 <table class="has-fixed-layout"><thead><tr><th>Board Meeting Agendas & Minutes</th></tr></thead><tbody><tr><td>
```

```
2 <table class="has-fixed-layout"><thead><tr><th>Financials</th></tr></thead><tbody><tr><td>2023 & 2022 Audit Exemptions

```

```
3 <table class="has-fixed-layout"><thead><tr><th>District Resources</th></tr></thead><tbody><tr><td>Service Plan

```

| #  | Element                                                                                                                                      | Relevant | Successes | Failures | Score |
|----|----------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 59 | Nested tables are often misinterpreted by screen readers, making it hard for users to follow the intended structure and meaning of the data. | Yes      | 4         | 0        | 100   |

### Code snapshots of successful elements

1 `<table><thead><tr><th>Name</th><th>Position</th><th>Term</th><th>Email</th><th>Developer/Resident</th></tr></thead><tbody><tr><td>Ronald Covington</td><td>President</td><td>May 2027</td><td><a href="mailto:admin@wsdistricts.co">admin@wsdistricts.co</...</td></tr></tbody></table>`

2 `<table class="has-fixed-layout"><thead><tr><th><strong>Board Meeting Agendas & Minutes</strong></th></tr></thead><tbody><tr><td><a href="https://wsdistricts.co/wp-content/uploads/2026/01/Wildwood-Ridge-MD-2026-Metro-Districts-Informational-Presen...</a></td></tr></tbody></table>`

3 `<table class="has-fixed-layout"><thead><tr><th><strong>Financials</strong></th></tr></thead><tbody><tr><td><a href="https://wsdistricts.co/wp-content/uploads/2024/10/Audit-exemption-2-years.pdf">2023 & 2022 Audit Exemptions</a><br><a href="https://wsdistricts.co/wp-content/uploads/2024/10/Service-Plan-Final-2.pdf">Service Plan</a><br><a href="https://wsdistricts.c...</td></tr></tbody></table>`

4 `<table class="has-fixed-layout"><thead><tr><th><strong>District Resources</strong></th></tr></thead><tbody><tr><td><a href="https://wsdistricts.co/wp-content/uploads/2024/10/Service-Plan-Final-2.pdf">Service Plan</a><br><a href="https://wsdistricts.c...</td></tr></tbody></table>`

| #  | Element                                                                                                                                        | Relevant | Successes | Failures | Score |
|----|------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 60 | If a table row header is not marked up with the correct role or scope, screen reader users cannot determine which header applies to each cell. | No       | 0         | 0        |       |

## WCAG Best Practices (Not included in score)

| # | Element                                                                                                                                                                                                   | Relevant | Successes | Failures | Score |
|---|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 1 | If an element's aria-describedby attribute points to an id that does not exist or is not valid, assistive technologies will not convey the intended description, causing users to miss important context. | No       | 0         | 0        |       |

| # | Element                                                                                                                                                                                                                         | Relevant | Successes | Failures | Score |
|---|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 2 | Since aria-labelledby relies on valid id references, screen readers can only announce the label if the target exists. If the id is missing or invalid, the label will not be conveyed, causing users to miss important context. | No       | 0         | 0        |       |

| # | Element                                                                                                                                                         | Relevant | Successes | Failures | Score |
|---|-----------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 3 | The element's aria-controls points to an id that does not exist, or is not valid, breaking the link between the controlling element and the content it manages. | No       | 0         | 0        |       |

| # | Element                                                                                                          | Relevant | Successes | Failures | Score |
|---|------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 4 | It's good practice to warn users about the expected behavior when activating a link triggers an image to appear. | No       | 0         | 0        |       |

| # | Element                                                                                                          | Relevant | Successes | Failures | Score |
|---|------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 5 | It's good practice to warn users about the expected behavior when activating a link triggers a mail application. | Yes      | 0         | 6        | 0     |

#### Code snapshots of failed elements

```
1 Melonie.c@wsdistricts.co
```

```
2 admin@wsdistricts.co
```

```
3 admin@wsdistricts.co
```

```
4 admin@wsdistricts.co
```

```
5 admin@wsdistricts.co
```

```
6 admin@wsdistricts.co
```

| # | Element                                                                                                    | Relevant | Successes | Failures | Score |
|---|------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 6 | It's good practice to warn users about the expected behavior when activating a link triggers a PDF reader. | Yes      | 0         | 16       | 0     |

### Code snapshots of failed elements

```
1 Informational Meeting Presentation (PDF)
```

```
2 2025 September Accessibilit...
```

```
3 2025 June Accessibility Report
```

```
4 Accessibility Plan
```

```
5 2026, January, Informational Meeting Presentation (PDF)
```

```
6 2025 November 13, Regular Board Meeting Agenda
```

```
7 2025 November 13, Annual Meeting Agenda
```

```
8 2024 & 2023 Agendas and Meeting Minutes
```

```
9 November 2, 2022 Meeting Minutes
```

10

[2023 & 2022 Audit Exemptions](https://wsdistricts.co/wp-content/uploads/2024/10/Audit-exemption-2-years.pdf)

| # | Element                                                                                                                                                                                                                                                                                                                             | Relevant | Successes | Failures | Score |
|---|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 7 | The title attribute is announced inconsistently across screen readers and browsers, making it unreliable for labeling interactive controls. Because many users may never hear the content, reliance on the attribute risks loss of information. Instead, it should be used to provide extra help text in addition to a valid label. | Yes      | 14        | 0        | 100   |

### Code snapshots of successful elements

```
1 Home
```

```
2 About
```

```
3 Accessibility
```

```
4 Contact
```

```
5 Services
```

```
6 District Websites
```

```
7 FAQ
```

```
8 Home
```

```
9 About
```

```
10 Accessibility
```

| # | Element                                                                                                                                                                                                                                                   | Relevant | Successes | Failures | Score |
|---|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 8 | The contentinfo region, typically represented by the <footer> element, is found at the end of each page and provides screen reader users with information about the website, such as copyright, contact details, legal information, and navigation links. | Yes      | Pass      | -        | 100   |

#### Code snapshots of successful elements

```
1 <footer class="wp-block-template-part"> <div class="wp-block-group has-contrast-color has-custom-papaya-whip-background-color has-text-color has-background has-link-color wp-elements-61b313e6bb06c1582eaae84315e4d043 is-vertical is-content-justificati...
```

| # | Element                                                                                                                                                                                                            | Relevant | Successes | Failures | Score |
|---|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 9 | When a region without global site information is tagged as a contentinfo landmark, screen reader users may be misled about its purpose and expect website-level details, such as copyright or contact information. | Yes      | Pass      | -        | 100   |

#### Code snapshots of successful elements

```
1 <footer class="wp-block-template-part"> <div class="wp-block-group has-contrast-color has-custom-papaya-whip-background-color has-text-color has-background-color has-link-color wp-elements-61b313e6bb06c1582eaae84315e4d043 is-vertical is-content-justificati...
```

| #  | Element                                                                                                                                                                                                                                                                 | Relevant | Successes | Failures | Score |
|----|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 10 | Each page should normally include only one contentinfo landmark (usually the site footer) to keep landmark navigation simple and predictable. Additional contentinfo landmarks are permitted when clearly justified, but they must each have a unique accessible label. | No       | 0         | 0        |       |

| #  | Element                                                                                                                                                                                                               | Relevant | Successes | Failures | Score |
|----|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 11 | Figure elements are often incorrectly used to display images on the screen. Incorrectly using the figure tag, without providing a proper figcaption, adds unnecessary clutter to the screen reader user's experience. | Yes      | 4         | 0        | 100   |

### Code snapshots of successful elements

```
1 <figure class="wp-block-table"><table><thead><tr><th>Name</th><th>Position</th><th>Term</th><th>Email</th><th>Developer/Resident</th></tr></thead><tbody><tr><td>Ronald Covington</td><td>President</td><td>May 2027</td><td><a href="mailto:admin@wsdistr...
```

```
2 <figure class="wp-block-table"><table class="has-fixed-layout"><thead><tr><th>Board Meeting Agendas & Minutes</th></tr></thead><tbody><tr><td><a href="https://wsdistricts.co/wp-content/uploads/2026/01/Wildwood-Ridge-MD-2026-Metro...
```

```
3 <figure class="wp-block-table"><table class="has-fixed-layout"><thead><tr><th>Financials</th></tr></thead><tbody><tr><td>2023 & 2022 Audit Ex...
```

```
4 <figure class="wp-block-table"><table class="has-fixed-layout"><thead><tr><th>District Resources</th></tr></thead><tbody><tr><td>Service Plan<br...
```

| #  | Element                                                                                                                                                                                                                                                    | Relevant | Successes | Failures | Score |
|----|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|----------|-------|
| 12 | Assigning a valid ISO language value to the <html> lang attribute ensures that screen readers use the correct pronunciation rules, browsers apply proper spell-checking and translation, and search engines index the content in the appropriate language. | Yes      | Pass      | -        | 100   |

#### Code snapshots of successful elements

```
1 <html lang="en-US"><head><meta http-equiv="origin-trial" content="A7vZI3v+Gz
7JfuRo1KNM4Aff6zaGuT7X0mf3wtoZTnKv6497cVMnhy03KDqX7kBz/q/iidw7srw31oQbBt4Vhg
oAAACUeyJvcmlnaW4iOiJodHRwczovL3d3dy5nb29nbGUuY29tOjQ0MyIsImZlYXR1cmUiOiJEaX
NhYmxlVGhpcmRQYXJ0eVNO...>
```

| #  | Element                                                                   | Relevant | Successes | Failures | Score |
|----|---------------------------------------------------------------------------|----------|-----------|----------|-------|
| 13 | Providing a meta viewport to control layout and scaling on mobile devices | Yes      | Pass      | -        | 100   |

#### Code snapshots of successful elements

```
1 <meta name="viewport" content="width=device-width, initial-scale=1">
```

This audit is subject to the [Terms of Service](#)